

| Brand/Product Name | Patent Nos. (U.S. unless indicated otherwise) |
|---|---|
| DIEGO ELITE™ DRILL | US9414848 |
| | US9504478 |
| | US10278712 |
| | USD788301 |
| | USD792592 |
| | USD782675 |
| DIEGO ELITE™ MULTIDEBRIDER™ | USD704332 |
| | USD715924 |
| | USD704333 |
| | US9844408 |
| | US10667859 |
| | US8956355 |
| | US9131979 |
| | US9452014 |
| | US8920419 |
| | US9662168 |
| | US9681914 |
| | US9265516 |
| | US9827001 |
| | US9198685 |
| | US9381032 |
| | US9694119 |
| | USD785794 |
| | USD806492 |
| | US7247161 |
| | US8454640 |
| US7473263 | |
| US7998159 | |
| US8585724 | |
| InstaClear™ Lens Cleaner System | US10022040 |
| | US10028644 |
| | US10631717 |
| MedPresence™ Virtual Presence System | US9654739 |
| | US10397523 |
| Spiration™ Valve System | US7757692 |
| | US7875048 |
| | US7887585 |
| | US8021385 |
| | US8177805 |
| | US8257381 |
| | US8414655 |
| | US8444690 |
| | US8603127 |
| | US8926647 |
| | US8974484 |
| | US8974527 |
| | US9358013 |
| | US9622752 |

| Brand/Product Name | Patent Nos. (U.S. unless indicated otherwise) |
|---|---|
| Spiration™ Valve System C26N | US6592594 |
| | US8043301 |
| | US8136230 |
| | US9326873 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 4MM DIAMETER STRAIGHT | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 2.9 MM DIAMETER STRAIGHT | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SMOOTH EDGE 4MM DIAMETER STRAIGHT | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 4MM DIAMETER CONCAVE 15 DEGREES | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 4MM DIAMETER CONCAVE 30 DEGREES | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR ADENOID BLADE, SERRATED 4MM DIAMETER CONVEX 40 DEGREES, IRRIGATING | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 4MM DIAMETER CONVEX 40 DEGREES | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 4MM DIAMETER CONCAVE 40 DEGREES | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 4MM DIAMETER CONCAVE 60 DEGREES | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 4MM DIAMETER CONVEX 15 DEGREES | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR LARYNGEAL DEBULKING BLADE 4MM DIAMETER, IRRIGATING SERRATED EDGEFORM, 22 CM | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR LARYNGEAL BLADE, SUPERFICIAL 4MM DIAMETER, IRRIGATING SMOOTH EDGEFORM, 22 CM | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE LARYNGEAL DEBULKING IRRIGATING 3.2MM DIAMETER,22CM LENGTH | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE LARYNGEAL SUPERFICIAL IRRIGATING 3.2MM DIAMETER, 22CM LENGTH | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE LARYNGEAL DEBULKING IRRIGATING 4MM DIAMETER, 27CM LENGTH | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE LARYNGEAL SUPERFICIAL IRRIGATING 4MM DIAMETER, 27 CM LENGTH | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE LARYNGEAL DEBULKING IRRIGATING 3.2MM DIAMETER, 27 CM LENGTH | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE LARYNGEAL SUPERFICIAL IRRIGATING 3.2MM DIAMETER, 27 CM LENGTH | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 4MM DIAMETER CONCAVE 75 DEGREES | US7799044 |
| | US8454640 |

| Brand/Product Name | Patent Nos. (U.S. unless indicated otherwise) |
|--|---|
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 2.9MM DIAMETER CONCAVE 15 DEGREES | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 2.9MM DIAMETER CONCAVE 30 DEGREES | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 2.9MM DIAMETER CONCAVE 40 DEGREES | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 2.9MM DIAMETER CONCAVE, 60 DEGREES | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 2.9MM DIAMETER CONCAVE 75 DEGREES | US7799044 |
| | US8454640 |
| DIEGO™ TURBINATOR BLADE IRRIGATING, SERRATED INF. TURB 2MM DIAMETER STRAIGHT | US7799044 |
| | US8454640 |
| DIEGO™ TURBINATOR BLADE IRRIGATING, SMOOTH INF. TURB 2MM DIAMETER STRAIGHT | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 3.4MM DIAMETER STRAIGHT | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 4MM DIAMETER CONCAVE 90 DEGREES | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 4MM DIAMETER CONCAVE 110 DEGREES | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE SUPERFICIAL, LARYNGEAL, IRRIGATING 2.9MM DIAMETER, 22CM LENGTH | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE SUPERFICIAL, LARYNGEAL, IRRIGATING 2.9MM DIAMETER, 27CM LENGTH | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, AGGRESSIVE EDGE 4 MM DIAMETER STRAIGHT | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR ADENOID BLADE, AGGRESSIVE 4MM DIAMETER CONVEX 40 DEGREES, IRRIGATING | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE DISTAL SUCTION, SERRATED 4MM DIAMETER IRRIGATING STRAIGHT | US8585724 |
| | US7799044 |
| | US7473263 |
| DIEGO™ POWERED DISSECTOR BLADE DISTAL SUCTION, SERRATED 4MM DIAMETER, IRRIGATING CONCAVE 40 DEGREES | US8585724 |
| | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR BLADE DISTAL SUCTION, SERRATED 4MM DIAMETER, IRRIGATING CONCAVE 60 DEGREES | US8585724 |
| | US7799044 |
| | US8454640 |
| DIEGO™ PK PWRD DISSECTOR BLADE IRRIGATING, SERRATED, BIPOLAR 4.2 MM DIAMETER STRAIGHT | US7799044 |
| | US7473263 |
| | US8454640 |
| PK DIEGO™ PWRD DISSECTOR BLADE IRRIGATING, SERRATED, BIPOLAR 4.8 MM DIAMETER STRAIGHT | US7799044 |
| | US8454640 |
| PK™ DIEGO™ PWRD DISSECTOR BLADE IRRIGATING, SERRATED, BIPOLAR 4.8 MM DIAMETER CONCAVE 15 DEGREES | US7799044 |
| | US8454640 |

| Brand/Product Name | Patent Nos. (U.S. unless indicated otherwise) |
|--|---|
| DIEGO™ PK™ PWRD DISSECTOR BLADE ADENOID, SERRATED, BIPOLAR 4.8 MM DIAMETER CONVEX 40 DEGREES, IRRIGATING | US7799044 |
| | US7473263 |
| | US8454640 |
| PK™ DIEGO™ PWRD DISSECTOR BLADE IRRIGATING, SERRATED, BIPOLAR 4.8 MM DIAMETER CONCAVE 40 DEGREES | US7799044 |
| | |
| | |
| PK™ DIEGO™ PWRD DISSECTOR BLADE IRRIGATING, SERRATED, BIPOLAR 4.8 MM DIAMETER 15 DEGREE CONVEX | US7799044 |
| | US7473263 |
| | US8454640 |
| PK™ DIEGO™ PWRD DISSECTOR BLADE IRRIGATING, AGGRSV, BIPOLAR 3.0 MM DIAMETER STRAIGHT | US7799044 |
| | US7473263 |
| | US8454640 |
| PK™ DIEGO™ PWRD DISSECTOR BLADE IRRIGATING, AGGRSV, BIPOLAR 3.0 MM DIAMETER STRAIGHT | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR DIAMOND BULLET BURR IRRIGATING, 3MM DIAMETER STRAIGHT | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR CUTTING BARREL BURR, IRRIGATING 4.2MM DIAMETER STRAIGHT | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR DIAMOND BALL BURR, IRRIGATING 4.5MM DIAMETER STRAIGHT | US7799044 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR DIAMOND BULLET BURR IRRIGATING, 3MM DIAMETER CONCAVE 15 DEGREES | US7998159 |
| | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR DIAMOND BULLET BURR IRRIGATING, 3MM DIAMETER CONCAVE 40 DEGREES | US7998159 |
| | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR DIAMOND BULLET BURR IRRIGATING, 3MM DIAMETER CONCAVE 70 DEGREES | US7998159 |
| | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR CUTTING BARREL BURR IRRIGATING, 4.2MM DIAMETER CONCAVE 15 DEGREES | US7998159 |
| | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR CUTTING BARREL BURR IRRIGATING, 4.2MM DIAMETER CONCAVE 60 DEGREES | US7998159 |
| | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ POWERED DISSECTOR DIAMOND BALL BURR IRRIGATING, 4.5MM DIAMETER CONCAVE 15 DEGREES | US7998159 |
| | US7799044 |
| | US7473263 |
| DIEGO™ POWERED DISSECTOR DIAMOND TAPER BURR IRRIGATING, 4MM DIAMETER CONCAVE 15 DEGREES | US7998159 |
| | US7799044 |
| | US7473263 |
| | US8454640 |

| Brand/Product Name | Patent Nos. (U.S. unless indicated otherwise) |
|---|---|
| DIEGO™ POWERED DISSECTOR DIAMONDD TAPER BURR IRRIGATING, 4MM DIAMETER CONCAVE 70 DEGEES | US7998159 |
| | US7799044 |
| | US7473263 |
| | US8454640 |
| DIEGO™ STARLINK HANDPIECE FOR USE W/ BRAINLAB IGS SYSTEMS | US7247161 |
| | US7462187 |
| DIEGO™ POWER DISSECTOR HANDPIECE, TRIGGER SWITCH ENABLED | US7247161 |
| | US7462187 |
| DIEGO ELITE™ SHAVER BLADE, SMR BIPOLAR, TYPE A | US8956355 |
| | US9131979 |
| | US9452014 |
| DIEGO ELITE™ SHAVER BLADE BIPOLAR, SERR., CLOSED (REF: BB4000SC) | US8956355 |
| | US9131979 |
| | US9452014 |
| DIEGO ELITE™ SHAVER BLADE BIPOLAR, SERRATED (REF: BB4000SS) | US8956355 |
| | US9131979 |
| | US9452024 |
| | US8585724 |
| DIEGO ELITE™ SHAVER BLADE BIPOLAR, SERR., CLOSED (REF: BB4040SC) | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| DIEGO ELITE™ SHAVER BLADE BIPOLAR, SERRATED (REF: BB4040SS) | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| DIEGO ELITE™ SHAVER BLADE, T/A BIPOLAR, SERR., CLOSED | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| DIEGO ELITE™ SHAVER BLADE, T/A BIPOLAR, SERRATED | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| DIEGO ELITE™ BRACKET EM COMPATIBLE | USD785794 |
| DIEGO ELITE™ BURR DIAMOND BULLET | US8956355 |
| | US9131979 |
| | US9452014 |
| | US7998159 |
| DIEGO ELITE™ BURR DIAMOND TAPER | US8956355 |
| | US9131979 |
| | US9452014 |
| | US7998159 |

| Brand/Product Name | Patent Nos. (U.S. unless indicated otherwise) |
|---|--|
| DIEGO ELITE™ BURR FLUTED BARREL | US8956355 |
| | US9131979 |
| | US9452014 |
| | US7998159 |
| DIEGO ELITE™ BURR BALL TIP | US8956355 |
| | US9131979 |
| | US9452014 |
| | US7998159 |
| DIEGO ELITE™ LARYNGEAL BLADE SUPERFICIAL | US8956355 |
| | US9131979 |
| | US9452014 |
| DIEGO ELITE™ LARYNGEAL BLADE DEBULKING | US8956355 |
| | US9131979 |
| | US9452014 |
| CONSOLE, LENS CLEANER | US10022040 |
| InstaClear™ SHEATH, LENS CLEANER OLYMPUS 0°, UNI. LIGHT | US1063171 |
| InstaClear™ SHEATH, LENS CLEANER OLYMPUS 30°, BTM LIGHT | US10028644 |
| InstaClear™ SHEATH, LENS CLEANER OLYMPUS 30°, TOP LIGHT | US1063171 |
| InstaClear™ SHEATH, LENS CLEANER OLYMPUS 30°, BTM LIGHT | US10028644 |
| InstaClear™ SHEATH, LENS CLEANER OLYMPUS 45°, BTM LIGHT | US1063171 |
| InstaClear™ SHEATH, LENS CLEANER OLYMPUS 45°, TOP LIGHT | US10028644 |
| InstaClear™ SHEATH, LENS CLEANER OLYMPUS 70°, BTM LIGHT | US1063171 |
| InstaClear™ SHEATH, LENS CLEANER OLYMPUS 70°, TOP LIGHT | US10028644 |
| InstaClear™ SHEATH, LENS CLEANER STORZ 0°, UNI. LIGHT | US1063171 |
| InstaClear™ SHEATH, LENS CLEANER STORZ 30°, BOTTOM LIGHT | US10028644 |
| InstaClear™ SHEATH, LENS CLEANER STORZ 30°, TOP LIGHT | US1063171 |
| InstaClear™ SHEATH, LENS CLEANER STORZ 45°, BOTTOM LIGHT | US10028644 |
| InstaClear™ SHEATH, LENS CLEANER STORZ 45°, TOP LIGHT | US1063171 |
| InstaClear™ SHEATH, LENS CLEANER STORZ 70°, BOTTOM LIGHT | US10028644 |
| InstaClear™ SHEATH, LENS CLEANER STORZ 70°, TOP LIGHT | US1063171 |
| InstaClear™ SHEATH, LENS CLEANER ULTRA 0°, UNI. LIGHT | US10028644 |
| InstaClear™ SHEATH, LENS CLEANER ULTRA 30°, BOTTOM LIGHT | US1063171 |
| InstaClear™ SHEATH, LENS CLEANER ULTRA 30°, TOP LIGHT | US10028644 |
| InstaClear™ SHEATH, LENS CLEANER ULTRA 45°, BOTTOM LIGHT | US1063171 |
| InstaClear™ SHEATH, LENS CLEANER ULTRA 45°, TOP LIGHT | US10028644 |

| Brand/Product Name | Patent Nos. (U.S. unless indicated otherwise) |
|---|---|
| InstaClear™ SHEATH, LENS CLEANER ULTRA 45°, TOP LIGHT | US1063171 |
| | US10028644 |
| InstaClear™ SHEATH, LENS CLEANER ULTRA 70°, BOTTOM LIGHT | US1063171 |
| | US10028644 |
| InstaClear™ SHEATH, LENS CLEANER ULTRA 70°, TOP LIGHT | US1063171 |
| | US10028644 |
| DIEGO ELITE™ SHAVER BLADE MONOPOLAR, SERR., CLOSED | US8956355 |
| | US9131979 |
| | US9452014 |
| DIEGO ELITE™ SHAVER BLADE MONOPOLAR, SERRATED | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| DIEGO ELITE™ SHAVER BLADE MONOPOLAR, SERRATED | US8585724 |
| | |
| DIEGO ELITE™ FOOTSWITCH | USD715924 |
| DIEGO ELITE™ MULTIDEBRIDER HANDPIECE, ANGLED | USD704333 |
| | US9265516 |
| | US9827001 |
| DIEGO ELITE™ MULTIDEBRIDER HANDPIECE, STRAIGHT | USD704332 |
| | US9265516 |
| | US9827001 |
| DIEGO ELITE™ SHAVER BLADE, T/A MALLEABLE, MONO., CLOSED | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| | US9198685 |
| DIEGO ELITE™ SHAVER BLADE, T/A MALLEABLE, MONOPOLAR | US9381032 |
| | US8956355 |
| | US9131979 |
| | US9452029 |
| | US9198685 |
| | US9381032 |
| DIEGO ELITE™ SHAVER BLADE, T/A MALLEABLE, STD., CLOSED | US8585724 |
| | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| DIEGO ELITE™ SHAVER BLADE, T/A MALLEABLE, STANDARD | US9198685 |
| | US9381032 |
| | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| DIEGO ELITE™ SHAVER BLADE, T/A MALLEABLE, STANDARD | US10667859 |
| | US9198685 |
| | US9381032 |
| | US8585724 |
| | |
| | |

| Brand/Product Name | Patent Nos. (U.S. unless indicated otherwise) |
|---|--|
| Diego Elite™ Nosecone Adapter Grip | USD806492 |
| DIEGO ELITE™ SHAVER BLADE, SMR STANDARD, TYPE A | US8956355 |
| | US9131979 |
| | US9452014 |
| DIEGO ELITE™ SHAVER BLADE STD., SERR., CLOSED | US8956355 |
| | US9131979 |
| | US9452014 |
| DIEGO ELITE™ SHAVER BLADE STANDARD, SERRATED (REF: SB2900SS) | US8956355 |
| | US9131979 |
| | US9452022 |
| | US8585724 |
| DIEGO ELITE™ SHAVER BLADE STD., SERRATED, CLOSED (REF: SB2940SC) | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| DIEGO ELITE™ SHAVER BLADE STANDARD, SERRATED (REF: SB2940SS) | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| | US8585724 |
| DIEGO ELITE™ SHAVER BLADE STD., SERRATED, CLOSED (REF: SB2975SC) | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| DIEGO ELITE™ SHAVER BLADE STANDARD, SERRATED (REF: SB2975SS) | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| | US8585724 |
| DIEGO ELITE™ SHAVER BLADE STANDARD, TYPE A (REF: SB4000SA) | US8956355 |
| | US9131979 |
| | US9452014 |
| DIEGO ELITE™ SHAVER BLADE STD., SERRATED, CLOSED (REF: SB4000SC) | US8956355 |
| | US9131979 |
| | US9452014 |
| DIEGO ELITE™ SHAVER BLADE STANDARD, SERRATED (REF: SB4000SS) | US8956355 |
| | US9131979 |
| | US9452014 |
| | US8585724 |
| DIEGO ELITE™ SHAVER BLADE STD., SERRATED, CLOSED (REF: SB4015SC) | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |

| Brand/Product Name | Patent Nos. (U.S. unless indicated otherwise) |
|---|---|
| DIEGO ELITE™ SHAVER BLADE STANDARD, SERRATED (REF: SB4015SS) | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| | US8585724 |
| DIEGO ELITE™ SHAVER BLADE ROT. TIP, SERR., CLOSED | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| DIEGO ELITE™ SHAVER BLADE ROTATABLE TIP, SERRATED | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| | US8585724 |
| DIEGO ELITE™ SHAVER BLADE STD., SERRATED, CLOSED (REF: SB4040SC) | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| DIEGO ELITE™ SHAVER BLADE STANDARD, SERRATED (REF: SB4040SS) | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| | US8585724 |
| DIEGO ELITE™ SHAVER BLADE STD., SERRATED, CLOSED (REF: SB4060SC) | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| DIEGO ELITE™ SHAVER BLADE STANDARD, SERRATED (REF: SB4060SS) | US8956355 |
| | US9131979 |
| | US9452014 |
| | US9844408 |
| | US10667859 |
| | US8585724 |
| DIEGO ELITE™ SHAVER BLADE STANDARD, TYPE A (REF: SB4800SA) | US8956355 |
| | US9131979 |
| | US9452014 |
| | US8585724 |
| DIEGO ELITE™ SHAVER BLADE STD., TYPE A, CLOSED | US8956355 |
| | US9131979 |
| | US9452029 |
| DIEGO ELITE™ TUBESET, STANDARD | US8920419 |
| | US9681914 |
| DIEGO ELITE™ TUBESET, DECLOG | US8920419 |
| | US9662168 |
| | US9681914 |
| | US9694119 |

| Brand/Product Name | Patent Nos. (U.S. unless indicated otherwise) |
|---|---|
| POWERSEAL™ Sealer/Divider Curved Jaw, Double-Action | US11464530 |
| | US11147576 |
| | US11452535 |
| **List updated 2/3/2023** | |